
WELI

Product Specifications	586
Fabrics and Options	587
Contrasting Fabrics Specifications	588
Product Pages	589
Thought Starters	601
COM Yardage Requirements	602

WELI PRODUCT SPECIFICATIONS

SEAT CONSTRUCTION

- 2 $\frac{3}{8}$ " of high grade polyurethane foam covers a plywood seat panel
- Easy clean wipe out feature

FULLY UPHOLSTERED BACK CONSTRUCTION

- 2" of high grade polyurethane foam covers a plywood back panel

FRAME CONSTRUCTION

Guest Seating

- Frame is made from $\frac{3}{4}$ " x 1 $\frac{1}{2}$ " 16-gauge rectangular tube steel
- End frames are joined with inert gas (MIG) welds
- All chairs meet 750 lb. weight capacity
- Wall saving design feature

Lounge

- Interior frame is constructed of plywood tenon joints that are glued and stapled for maximum joint stability
- The legs are screwed directly to the bottom panel of the arm
- All chairs meet 750 lb. weight capacity
- Wall saving design feature

CONTRASTING FABRIC

- Contrasting fabric available on all models

ARM CAPS

- Protective polyurethane is standard on all poly arm models; available in Cinder and Concrete
- Solid Surface is standard on all solid surface arm models; available in 9 colors

GLIDES

- Legs feature a 1" adjustable leveling glide
- Soft glides are available for an additional upcharge

FINISHES

- Cinder, Platinum Metallic, Satin Nickel Metallic, Concrete and Iron frames are finished with an electrostatic baked-on powder coat
- Can be cleaned with a damp cloth

TABLES

FRAME CONSTRUCTION



- Table frame is made from $\frac{7}{8}$ " x 1 $\frac{1}{4}$ " 16-gauge elliptical tubular steel
- Cross members are made from $\frac{7}{8}$ " 16-gauge round tubular steel
- Cross members are joined to the U-bent side members with metal inert gas (MIG) welds

TOPS

- Laminate models feature a 1 $\frac{1}{4}$ " laminate (HPL) top
- Solid Surface models available in Grades A, B, and C

POWER AND USB GROMMET – Lounge only

- Power grommets available; specify cutout option and order electrical grommet model separately
- See pages 85-86 for details and pricing



FABRICS

Grade 1	Cali
	Entwine
	Input
	Melange
	Ridge
	Spark
	Vessel
Zig Zag	

Grade 2	Bliss
	Brilliant
	COM
	Dolce
	Dorset
	Intuition
	Orbit
	Phrase
	Pixie
	Sedona
Stencil	
Strand	

Grade 3	COL
	Silvertex

Grade 4	Connect Four
	Echo
	Masquerade

Grade 5	Mode
---------	------

Grade 6	Essence/Ultraleather
---------	----------------------

Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch
Tottori	

Grade L7	Davenport
----------	-----------

Grade L8	Florence
----------	----------

LAMINATES

AC2	Autumn 2	NM	Natural
AD	Almond	PB	Portobello
BZ	Brazilwood	PC	Porcini
CI	Chai	PT	Portico
CL	Caramel	SK	Skyline
CW	Cordovan	SM	Sonoma
DW	Judicial	TF	Truffle
HN2	Honey 2	WL	Willow
IM	Brighton	405	Designer White
KN	Kona	462	Cinder
MC	Amber	792	Sable
MH	Mocha	793	Acorn*

*Acorn is the laminate complement to Clear Walnut finish

MOISTURE BARRIER

(\$152 upcharge per seat location)

X	No Moisture Barrier
MBS1	Moisture Barrier, 1 Seat
MBS2	Moisture Barrier, 2 Seat
MBS3	Moisture Barrier, 3 Seat

POLYURETHANE ARM CAP

423	Concrete
462	Cinder

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust
Grade 2 – 6% upcharge	
G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

See page 21 for Gallery program details and upcharges

FRAME COLOR

423	Concrete
462	Cinder
463	Iron
501	Platinum Metallic
503	Satin Nickel Metallic

TANDEM FRAME COLOR

463	Iron
501	Platinum Metallic

GLIDES

STD	Standard
C66	Soft (add \$41 list)

POWER/USB GROMMET CUTOUT OPTIONS – Lounge Only

If no grommet cutout is desired, specify an X (No Grommet)

\$40 list upcharge per cutout

CUT-G35L	Left
CUT-G35R	Right
CUT-G35LR	Left & Right
CUT-G35C	Center
CUT-G35A	Left, Right, & Center

Grommets sold separately; reference page 85 for model numbers and pricing.

SOLID SURFACE COLORS

7101	Bisque (Grade A)
7201	Glacier White (Grade A)
7202	Canyon (Grade B)
7203	Designer White (Grade B)
7204	Silt (Grade B)
7301	Concrete (Grade C)
7302	Deep Night Sky (Grade C)
7303	Deep Nocturne (Grade C)

TO ORDER CONTRASTING FABRIC, SPECIFY

WELI

21" Guest Chair page 589

27" Guest Chair page 589

32" Guest Chair page 590

Armless Starter page 590

Arm Starter page 592

Armless Add-On page 592

Arm Add-On page 591

Armless End page 591

Arm End page 593

Three Seat Tandem page 593

Two Seat Tandem page 593

21" Easy Access Chair page 594

27" Easy Access Chair page 594

21" Patient Chair page 594

27" Patient Chair page 595

32" Patient Chair page 595


21" Rocker page 596

27" Rocker page 596

32" Rocker page 596

*Contrasting locations standard on all models

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Seat Fabric Grade Number/Cover Number
4. Moisture Barrier
5. Arm Cap (when applicable)
6. Frame Color
7. Glides



WELI LOUNGE

1 Seat Lounge page 597

1 Seat Patient Lounge page 597

2 Seat Lounge page 597

3 Seat Lounge page 597


2 Seat Bench page 598

3 Seat Bench page 598

Ottoman page 598

*Contrasting locations standard on all models

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Seat Fabric Grade Number/Cover Number
4. Arm Fabric Grade Number/Cover Number
5. Moisture Barrier
6. Grommet Cutout
7. Arm Cap (when applicable)
8. Frame Color
9. Glides






Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:


1. Model Number
2. Fabric Grade Number
3. Fabric Grade Cover
4. Moisture Barrier
5. Arm Cap (when applicable)
6. Frame Color
7. Glides

• See page 587 for Weli options
See pages 602-603 for COM fabric yardage

21" GUEST CHAIR



Armless



Arm

MODEL NO.

GRADE / LIST PRICE


		1	2/COM	3/COL	4	5	6	7	L7	L8
N81GAM	Armless	\$ 1617	1670	1694	1733	1775	1847	1943	2397	2543
QN81GAM	Armless	1617	1670	1694	1733	1775	1847	1943		
N81GAAY	Arms, Poly	1646	1699	1723	1762	1804	1876	1972	2426	2572
QN81GAAY	Arms, Poly	1646	1699	1723	1762	1804	1876	1972		
N81GAAS	Arms, Gr A Solid Surface	2148	2201	2225	2264	2306	2378	2474	2928	3074

DIMENSIONS


Armless Width	24	Seat Height	19	Arm Height	25¾	Weight	42
Arm Width	24½	Seat Depth	19	Back Height	36¾	Arm Weight	47
Depth	27	Seat Width	21	Back Width	21	Cubic Ft.	21.1
Height	36¾						

- Contrasting fabric option - specify X; see page 588. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available
- Guest chairs can be ganged together by using the chair ganging brackets on page 600; brackets are ordered separately

27" GUEST CHAIR



Armless



Arm

		1	2/COM	3/COL	4	5	6	7	L7	L8
N81GBM	Armless	\$ 1939	2027	2067	2132	2202	2322	2482	3239	3482
QN81GBM	Armless	1939	2027	2067	2132	2202	2322	2482		
N81GBAY	Arms, Poly	1973	2061	2101	2166	2236	2356	2516	3273	3516
QN81GBAY	Arms, Poly	1973	2061	2101	2166	2236	2356	2516		
N81GBAS	Arms, Gr A Solid Surface	2477	2565	2605	2670	2740	2860	3020	3777	4020

DIMENSIONS

Armless Width	30	Seat Height	19	Arm Height	25¾	Weight	48
Arm Width	30½	Seat Depth	19	Back Height	36¾	Arm Weight	53
Depth	27	Seat Width	27	Back Width	27	Cubic Ft.	25.5
Height	36¾						

- Contrasting fabric option - specify X; see page 588. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available
- Guest chairs can be ganged together by using the chair ganging brackets on page 600; brackets are ordered separately



Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.


TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Fabric Grade Cover
4. Moisture Barrier
5. Arm Cap (when applicable)
6. Frame Color
7. Glides


• See page 587 for Weli options

See pages 602-603 for COM fabric yardage

32" GUEST CHAIR



Armless



Arm

MODEL NO.

GRADE / LIST PRICE


		1	2/COM	3/COL	4	5	6	7	L7	L8
N81GCM	Armless	\$ 2263	2351	2391	2456	2526	2646	2806	3563	3806
QN81GCM	Armless	2263	2351	2391	2456	2526	2646	2806		
N81GCAY	Arms, Poly	2303	2391	2431	2496	2566	2686	2846	3603	3846
QN81GCAY	Arms, Poly	2303	2391	2431	2496	2566	2686	2846		
N81GCAS	Arms, Gr A Solid Surface	2806	2894	2934	2999	3069	3189	3349	4106	4349

DIMENSIONS

Armless Width	35	Seat Height	19	Arm Height	25¼	Weight	54
Arm Width	35½	Seat Depth	19	Back Height	36¼	Arm Weight	59
Depth	27	Seat Width	32	Back Width	32	Cubic Ft.	29.1
Height	36¼						

- Contrasting fabric option - specify X; see page 588. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available
- Guest chairs can be ganged together by using the chair ganging brackets on page 600; brackets are ordered separately

ARMLESS STARTER



		1	2/COM	3/COL	4	5	6	7	L7	L8
N81SAM	21" Starter, Armless	\$ 1810	1863	1887	1926	1968	2040	2136	2590	2736
N81SBM	27" Starter, Armless	2178	2266	2306	2371	2441	2561	2721	3478	3721
N81SCM	32" Starter, Armless	2547	2635	2675	2740	2810	2930	3090	3847	4090

DIMENSIONS

21" Width	24	Seat Height	19	Back Height	36¼	21" Weight	48
27" Width	30	Seat Depth	19	21" Back Width	21	27" Weight	55
32" Width	35	21" Seat Width	21	27" Back Width	27	32" Weight	61
Depth	27	27" Seat Width	27	32" Back Width	32	21" Cubic Ft	21.3
Height	36¼	32" Seat Width	32			27" Cubic Ft	25.6
						32" Cubic Ft	29.2


- Contrasting fabric option - specify X; see page 588. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available
- When using ganging models, a "Starter" model must be used at the start of a run and an "End" model to end the run. "Add-on" models are used between the starter and end to add additional seats
- Ganging hardware is included

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Fabric Grade Cover
4. Moisture Barrier
5. Arm Cap (when applicable)
6. Frame Color
7. Glides

• See page 587 for Weli options
See pages 602-603 for COM fabric yardage

ARM ADD-ON



MODEL NO.

GRADE / LIST PRICE


		1	2/COM	3/COL	4	5	6	7	L7	L8
N81AAEY	21" Add-On, Arm (1)	\$ 1610	1663	1687	1726	1768	1840	1936	2390	2536
N81AAES	21" Add-On, Arm (1), Gr A Solid Surface	1861	1914	1938	1977	2019	2091	2187	2641	2787
N81ABEY	27" Add-On, Arm (1)	\$ 1932	2020	2060	2125	2195	2315	2475	3232	3475
N81ABES	27" Add-On, Arm (1), Gr A Solid Surface	2182	2270	2310	2375	2445	2565	2725	3482	3725
N81ACEY	32" Add-On, Arm (1)	\$ 2253	2341	2381	2446	2516	2636	2796	3553	3796
N81ACES	32" Add-On, Arm (1), Gr A Solid Surface	2505	2593	2633	2698	2768	2888	3048	3805	4048

DIMENSIONS

21" Width	22½	Seat Height	19	Arm Height	25¾	21" Weight	53
27" Width	28½	Seat Depth	19	Back Height	36¾	27" Weight	60
32" Width	33½	21" Seat Width	21	21" Back Width	21	33" Weight	67
Depth	27	27" Seat Width	27	27" Back Width	27	21" Cubic Ft	18.1
Height	36¾	32" Seat Width	32	32" Back Width	32	27" Cubic Ft	21.9
						32" Cubic Ft	25.1

- Contrasting fabric option - specify X; see page 588. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available
- When using ganging models, a "Starter" model must be used at the start of a run and an "End" model to end the run. "Add-on" models are used between the starter and end to add additional seats
- Ganging hardware is included

ARMLESS END



		1	2/COM	3/COL	4	5	6	7	L7	L8
N81EAM	21" End, Armless	\$ 1538	1591	1615	1654	1696	1768	1864	2318	2464
N81EBM	27" End, Armless	1844	1932	1972	2037	2107	2227	2387	3144	3387
N81ECM	32" End, Armless	2152	2240	2280	2345	2415	2535	2695	3452	3695

DIMENSIONS

21" Width	22½	Seat Height	19	Back Height	36¾	21" Weight	38
27" Width	28½	Seat Depth	19	21" Back Width	21	27" Weight	46
32" Width	33½	21" Seat Width	21	27" Back Width	27	32" Weight	53
Depth	27	27" Seat Width	27	32" Back Width	32	21" Cubic Ft	16.2
Height	36¾	32" Seat Width	32			27" Cubic Ft	20.0
						32" Cubic Ft	23.2

- Contrasting fabric option - specify X; see page 588. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available
- When using ganging models, a "Starter" model must be used at the start of a run and an "End" model to end the run. "Add-on" models are used between the starter and end to add additional seats
- Ganging hardware is included


TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Fabric Grade Cover
4. Moisture Barrier
5. Arm Cap (when applicable)
6. Frame Color
7. Glides


• See page 587 for Weli options

See pages 602-603 for COM fabric yardage

ARM STARTER



1 Arm at Start



2 Arms

MODEL NO.

GRADE / LIST PRICE


			1	2/COM	3/COL	4	5	6	7	L7	L8
N81SAEY	21" Starter, Arm (1 at Start), Poly	\$	1810	1863	1887	1926	1968	2040	2136	2590	2736
N81SAAY	21" Starter, Arms (2), Poly		1838	1891	1915	1954	1996	2068	2164	2618	2764
N81SAES	21" Starter, Arm (1 at Start), Gr A Solid Surface		2063	2116	2140	2179	2221	2293	2389	2843	2989
N81SAAS	21" Starter, Arms (2), Gr A Solid Surface		2342	2395	2419	2458	2500	2572	2668	3122	3268
N81SBEY	27" Starter, Arm (1 at Start), Poly	\$	2178	2266	2306	2371	2441	2561	2721	3478	3721
N81SBAY	27" Starter, Arms (2), Poly		2207	2295	2335	2400	2470	2590	2750	3507	3750
N81SBES	27" Starter, Arm (1 at Start) Gr A Solid Surface		2429	2517	2557	2622	2692	2812	2972	3729	3972
N81SBAS	27" Starter, Arms (2), Gr A Solid Surface		2708	2796	2836	2901	2971	3091	3251	4008	4251
N81SCEY	32" Starter, Arm (1 at Start), Poly	\$	2547	2635	2675	2740	2810	2930	3090	3847	4090
N81SCAY	32" Starter, Arms (2), Poly		2575	2663	2703	2768	2838	2958	3118	3875	4118
N81SCES	32" Starter, Arm (1 at Start) Gr A Solid Surface		2797	2885	2925	2990	3060	3180	3340	4097	4340
N81SCAS	32" Starter, Arms (2), Gr A Solid Surface		3078	3166	3206	3271	3341	3461	3621	4378	4621

DIMENSIONS

21" Width	24	Seat Height	19	Arm Height	25¼	21" 1 Arm	45
27" Width	30	Seat Depth	19	Back Height	36¼	21" 2 Arm	53
32" Width	35	21" Seat Width	21	21" Back Width	21	27" 1 Arm	52
Depth	27	27" Seat Width	27	27" Back Width	27	27" 2 Arm	60
Height	36¼	32" Seat Width	32	32" Back Width	32	32" 1 Arm	58
						32" 2 Arm	66
						21" Cubic Ft	21.3
						27" Cubic Ft	25.6
						32" Cubic Ft	29.2

- Contrasting fabric option - specify X; see page 588. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available
- When using ganging models, a "Starter" model must be used at the start of a run and an "End" model to end the run. "Add-on" models are used between the starter and end to add additional seats
- Ganging hardware is included

ARMLESS ADD-ON



			1	2/COM	3/COL	4	5	6	7	L7	L8
N81AAM	21" Add-On, Armless	\$	1610	1663	1687	1726	1768	1840	1936	2390	2536
N81ABM	27" Add-On, Armless		1932	2020	2060	2125	2195	2315	2475	3232	3475
N81ACM	32" Add-On, Armless		2253	2341	2381	2446	2516	2636	2796	3553	3796

DIMENSIONS

21" Width	22½	Seat Height	19	Back Height	36¼	21" Armless	48
27" Width	28½	Seat Depth	19	21" Back Width	21	27" Armless	55
32" Width	33½	21" Seat Width	21	27" Back Width	27	32" Armless	62
Depth	27	27" Seat Width	27	32" Back Width	32	21" Cubic Ft	18.1
Height	36¼	32" Seat Width	32			27" Cubic Ft	21.9
						32" Cubic Ft	25.1


- Contrasting fabric option - specify X; see page 588. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available
- When using ganging models, a "Starter" model must be used at the start of a run and an "End" model to end the run. "Add-on" models are used between the starter and end to add additional seats
- Ganging hardware is included

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Fabric Grade Cover
4. Moisture Barrier
5. Arm Cap (when applicable)
6. Frame Color
7. Glides

• See page 587 for Weli options
See pages 602-603 for COM fabric yardage

ARM END



MODEL NO.

GRADE / LIST PRICE


			1	2/COM	3/COL	4	5	6	7	L7	L8
N81EAEY	21" End, Arm (1 at End), Poly	\$	1538	1591	1615	1654	1696	1768	1864	2318	2464
N81EAES	21" End, Arm (1 at End), Gr A Solid Surface		1789	1842	1866	1905	1947	2019	2115	2569	2715
N81EBEY	27" End, Arm (1 at End), Poly	\$	1844	1932	1972	2037	2107	2227	2387	3144	3387
N81EBES	27" End, Arm (1 at End), Gr A Solid Surface		2097	2185	2225	2290	2360	2480	2640	3397	3640
N81ECEY	32" End, Arm (1 at End), Poly	\$	2152	2240	2280	2345	2415	2535	2695	3452	3695
N81ECES	32" End, Arm (1 at End), Gr A Solid Surface		2405	2493	2533	2598	2668	2788	2948	3705	3948

DIMENSIONS

21" Width	22½	Seat Height	19	Arm Height	25¾	21" Weight	43
27" Width	28½	Seat Depth	19	Back Height	36¾	27" Weight	51
32" Width	33½	21" Seat Width	21	21" Back Width	21	32" Weight	58
Depth	27	27" Seat Width	27	27" Back Width	27	21" Cubic Ft	16.2
Height	36¾	32" Seat Width	32	32" Back Width	32	27" Cubic Ft	20.0
						32" Cubic Ft	23.2

- Contrasting fabric option - specify X; see page 588. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available
- When using ganging models, a "Starter" model must be used at the start of a run and an "End" model to end the run. "Add-on" models are used between the starter and end to add additional seats
- Ganging hardware is included

THREE SEAT TANDEM



			1	2/COM	3/COL	4	5	6	7	L7	L8
N81T3ACY	Arms and No Center Legs, Poly	\$	5348	5495	5562	5671	5789	5991	6259	7532	7939
N81T3ACS	Arms and No Center Legs, Gr A Solid Surface		6354	6501	6568	6677	6795	6997	7265	8538	8945

DIMENSIONS

Width	69½	Seat Height	19	Arm Height	25¾	Weight	128
Depth	27	Seat Depth	19	Back Height	36¾	Cubic Ft.	45.1
Height	36¾	Seat Width	21	Back Width	21		

- Contrasting fabric option - specify X; see page 588. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available
- Frame color available in 463 Iron and 501 Platinum Metallic

TWO SEAT TANDEM



			1	2/COM	3/COL	4	5	6	7	L7	L8
N81T2ACY	Arms and No Center Legs, Poly	\$	3619	3721	3767	3842	3924	4063	4248	5127	5408
N81T2ACS	Arms and No Center Legs, Gr A Solid Surface		4375	4477	4523	4598	4680	4819	5004	5883	6164

DIMENSIONS

Width	47	Seat Height	19	Arm Height	25¾	Weight	90
Depth	27	Seat Depth	19	Back Height	36¾	Cubic Ft.	30.8
Height	36¾	Seat Width	21	Back Width	21		


- Contrasting fabric option - specify X; see page 588. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available
- Frame color available in 463 Iron and 501 Platinum Metallic

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Fabric Grade Cover
4. Moisture Barrier
5. Arm Cap (when applicable)
6. Frame Color
7. Glides

• See page 587 for Weli options
See pages 602-603 for COM fabric yardage

21" EASY ACCESS CHAIR




MODEL NO.	GRADE / LIST PRICE										
		1	2/COM	3/COL	4	5	6	7	L7	L8	
N81HAAY Arms, Poly	\$	2586	2639	2663	2702	2744	2816	2912	3366	3512	
N81HAAS Arms, Gr A Solid Surface		3088	3141	3165	3204	3246	3318	3414	3868	4014	

DIMENSIONS

Width	24	Seat Height	25½	Arm Height	31¾	Weight	55
Depth	27	Seat Depth	19	Back Height	42¾	Cubic Ft.	24.3
Height	42¾	Seat Width	21	Back Width	21		

- Contrasting fabric option - specify X; see page 588. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available

27" EASY ACCESS CHAIR




MODEL NO.	GRADE / LIST PRICE										
		1	2/COM	3/COL	4	5	6	7	L7	L8	
N81HBAY Arms, Poly	\$	2873	2961	3001	3066	3136	3256	3416	4173	4416	
N81HBAS Arms, Gr A Solid Surface		3376	3464	3504	3569	3639	3759	3919	4676	4919	

DIMENSIONS

Width	30	Seat Height	25½	Arm Height	31¾	Weight	61
Depth	27	Seat Depth	19	Back Height	42¾	Cubic Ft.	29.3
Height	42¾	Seat Width	27	Back Width	27		

- Contrasting fabric option - specify X; see page 588. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available

21" PATIENT CHAIR




Armless

MODEL NO.	GRADE / LIST PRICE										
		1	2/COM	3/COL	4	5	6	7	L7	L8	
N81PAM Armless	\$	1982	2042	2069	2113	2161	2242	2351	2866	3031	
N81PAAAY Arms, Poly		2012	2072	2099	2143	2191	2272	2381	2896	3061	
N81PAAS Arms, Gr A Solid Surface		2515	2575	2602	2646	2694	2775	2884	3399	3564	

DIMENSIONS

Width	24	Seat Height	19	Arm Height	25¾	Armless Weight	46
Depth	27	Seat Depth	19	Back Height	45	Arm Weight	51
Height	45	Seat Width	21	Back Width	21	Cubic Ft.	25.9

- Contrasting fabric option - specify X; see page 588. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available




Arm

TO ORDER, SPECIFY:


1. Model Number
2. Fabric Grade Number
3. Fabric Grade Cover
4. Moisture Barrier
5. Arm Cap (when applicable)
6. Frame Color
7. Glides

• See page 587 for Weli options
See pages 602-603 for COM fabric yardage

27" PATIENT CHAIR



Armless



Arm

MODEL NO.

GRADE / LIST PRICE


		1	2/COM	3/COL	4	5	6	7	L7	L8
N81PBM	Armless	\$ 2379	2470	2512	2579	2652	2777	2943	3731	3983
N81PBAY	Arms, Poly	2413	2504	2546	2613	2686	2811	2977	3765	4017
N81PBAS	Arms, Gr A Solid Surface	2916	3007	3049	3116	3189	3314	3480	4268	4520

DIMENSIONS


Width	30	Seat Height	19	Arm Height	25¾	Armless Weight	52
Depth	27	Seat Depth	19	Back Height	45	Arm Weight	57
Height	45	Seat Width	27	Back Width	27	Cubic Ft.	31.3

- Contrasting fabric option - specify X; see page 588. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available

32" PATIENT CHAIR



Armless



Arm

		1	2/COM	3/COL	4	5	6	7	L7	L8
N81PCM	Armless	\$ 2774	2879	2927	3005	3089	3233	3425	4334	4625
N81PCAY	Arms, Poly	2816	2921	2969	3047	3131	3275	3467	4376	4667
N81PCAS	Arms, Gr A Solid Surface	3318	3423	3471	3549	3633	3777	3969	4878	5169

DIMENSIONS

Width	35	Seat Height	19	Arm Height	25¾	Armless Weight	58
Depth	27	Seat Depth	19	Back Height	45	Arm Weight	63
Height	45	Seat Width	32	Back Width	32	Cubic Ft.	35.7

- Contrasting fabric option - specify X; see page 588. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available


TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Fabric Grade Cover
4. Moisture Barrier
5. Arm Cap (when applicable)
6. Frame Color

• See page 587 for Weli options

See pages 602-603 for COM fabric yardage

21" ROCKER



MODEL NO.

GRADE / LIST PRICE


		1	2/COM	3/COL	4	5	6	7	L7	L8
N81RAAY	Arms, Poly	\$ 2586	2639	2663	2702	2744	2816	2912	3366	3512
N81RAAS	Arms, Gr A Solid Surface	3088	3141	3165	3204	3246	3318	3414	3868	4014

DIMENSIONS

Width	24	Seat Height	18	Arm Height	25¼	Weight	49
Depth	27	Seat Depth	19	Back Height	34¾	Cubic Ft.	21.1
Height	34¾	Seat Width	21	Back Width	27		

- Contrasting fabric option - specify X; see page 588. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service

27" ROCKER




		1	2/COM	3/COL	4	5	6	7	L7	L8
N81RBAY	Arms, Poly	\$ 2873	2961	3001	3066	3136	3256	3416	4173	4416
N81RBAS	Arms, Gr A Solid Surface	3376	3464	3504	3569	3639	3759	3919	4676	4919

DIMENSIONS

Width	30	Seat Height	18	Arm Height	25¼	Weight	54
Depth	27	Seat Depth	19	Back Height	34¾	Cubic Ft.	25.5
Height	34¾	Seat Width	27	Back Width	27		

- Contrasting fabric option - specify X; see page 588. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service

32" ROCKER



		1	2/COM	3/COL	4	5	6	7	L7	L8
N81RCAY	Arms, Poly	\$ 3017	3105	3145	3210	3280	3400	3560	4317	4560
N81RCAS	Arms, Gr A Solid Surface	3520	3608	3648	3713	3783	3903	4063	4820	5063

DIMENSIONS

Width	35	Seat Height	18	Arm Height	25¼	Weight	59
Depth	27	Seat Depth	19	Back Height	34¾	Cubic Ft.	29.1
Height	34¾	Seat Width	32	Back Width	32		


- Contrasting fabric option - specify X; see page 588. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Fabric Grade Cover
4. Moisture Barrier
5. Grommet Cutout
6. Arm Cap (when applicable)
7. Frame Color
8. Glides

• See page 587 for Weli options
See pages 602-603 for COM fabric yardage


1 SEAT LOUNGE



MODEL NO.		GRADE / LIST PRICE									
		1	2/COM	3/COL	4	5	6	7	L7	L8	
N81L1AAY	1 Seat Lounge, Poly Arms	\$ 2729	2848	2902	2991	3086	3249	3467	4497	4827	
N81L1AAS	1 Seat Lounge, Gr A Solid Surface	3232	3351	3405	3494	3589	3752	3970	5000	5330	
DIMENSIONS											
Width	29	Seat Height	19	Arm Height	25¼	Weight	84.4				
Depth	29½	Seat Depth	19	Back Height	35½	Cubic Ft.	21.0				
Height	35½	Seat Width	21	Back Width	21						

• Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service


1 SEAT PATIENT LOUNGE



MODEL NO.		GRADE / LIST PRICE									
		1	2/COM	3/COL	4	5	6	7	L7	L8	
N81LP1AAY	1 Seat Patient Lounge, Poly Arms	\$ 3002	3135	3196	3295	3401	3583	3827	4978	5347	
N81LP1AAS	1 Seat Patient Lounge, Gr A Solid Surface	3505	3638	3699	3798	3904	4086	4330	5481	5850	
DIMENSIONS											
Width	29	Seat Height	19	Arm Height	25¼	Weight	95.5				
Depth	29½	Seat Depth	19	Back Height	44¼	Cubic Ft.	25.6				
Height	44¼	Seat Width	21	Back Width	21						

• Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service


2 SEAT LOUNGE



MODEL NO.		GRADE / LIST PRICE									
		1	2/COM	3/COL	4	5	6	7	L7	L8	
N81L2AAY	2 Seat Lounge, Poly Arms	\$ 3548	3713	3788	3910	4042	4267	4568	5992	6448	
N81L2AAS	2 Seat Lounge, Gr A Solid Surface	4048	4213	4288	4410	4542	4767	5068	6492	6948	
DIMENSIONS											
Width	50	Seat Height	19	Arm Height	25¼	Weight	122.8				
Depth	29½	Seat Depth	19	Back Height	35½	Cubic Ft.	35.5				
Height	35½	Seat Width	42	Back Width	42						

• Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service

3 SEAT LOUNGE



MODEL NO.		GRADE / LIST PRICE									
		1	2/COM	3/COL	4	5	6	7	L7	L8	
N81L3AAY	3 Seat Lounge, Poly Arms	\$ 4444	4658	4755	4914	5085	5377	5768	7616	8208	
N81L3AAS	3 Seat Lounge, Gr A Solid Surface	4947	5161	5258	5417	5588	5880	6271	8119	8711	
DIMENSIONS											
Width	71	Seat Height	19	Arm Height	25¼	Weight	144.4				
Depth	29½	Seat Depth	19	Back Height	35½	Cubic Ft.	50.0				
Height	35½	Seat Width	63	Back Width	63						

• Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service

ELECTRICAL KIT SPECIFICATION GUIDE

Large Model	Power Component Requirement
1 Seat	1 Power Infeed + Grommet
2 Seat (1 or 2 grommet)	1 Power Infeed + Grommet(s)
3 Seat (1 grommet)	1 Power Infeed + Grommet
3 Seat (2 or 3 grommets)	NACEL4KTA1 + Grommets

See page 85 for details and pricing


TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Fabric Grade Cover
4. Moisture Barrier
5. Grommet Cutout
6. Frame Color
7. Glides

• See page 587 for Weli options

See pages 602-603 for COM fabric yardage

2 SEAT BENCH



MODEL NO.


GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N81B2M	2 Seat Bench	\$	1726	1789	1818	1865	1915	2001	2117	2662	2837

DIMENSIONS

Width	42½	Seat Height	20	Weight	92.4
Depth	25	Seat Depth	20½	Cubic Ft.	17.5
Height	20½				

3 SEAT BENCH




			1	2/COM	3/COL	4	5	6	7	L7	L8
N81B3M	3 Seat Bench	\$	2305	2410	2458	2536	2620	2764	2956	3865	4156

DIMENSIONS

Width	63¾	Seat Height	20	Weight	103.5
Depth	25	Seat Depth	20½	Cubic Ft.	25.9
Height	20½				

OTTOMAN



			1	2/COM	3/COL	4	5	6	7	L7	L8
N81D1A	Ottoman	\$	1148	1187	1204	1233	1264	1316	1387	1720	1827

DIMENSIONS

Width	21	Seat Height	20	Weight	25.1
Depth	18	Seat Depth	20½	Cubic Ft.	5.7
Height	18½				

TO ORDER, SPECIFY:

1. Model Number
2. Laminate/Solid Surface
3. Paint
4. Glides

- See page 587 for Weli options
- Ganging hardware included with ganging tables

OVAL TABLE



MODEL NO.


GRADE / LIST PRICE

		GRADE A	GRADE B	GRADE C
N81T2448MGOL	24 x 48, Laminate	\$ 2426		
N81T2448MGOS	24 x 48, Solid Surface	3862	4150	4542

DIMENSIONS

Width	24	Laminate Weight	24
Depth	48	Solid Surface Weight	34
Height	16¼	Cubic Ft.	6.5

FREESTANDING TABLE




		GRADE A	GRADE B	GRADE C
N81T2424ENL	24 x 24, Laminate	\$ 1652		
N81T2424ENS	24 x 24, Solid Surface	2873	3024	3230

DIMENSIONS

Width	24½	Laminate Weight	24
Depth	25¾	Solid Surface Weight	34
Height	16¼	Cubic Ft.	3.6

90 DEGREE ROUNDED CORNER FREESTANDING TABLE




		GRADE A	GRADE B	GRADE C
N81T3636CNL	Laminate	\$ 2426		
N81T3636CNS	Solid Surface	3862	4215	4695

DIMENSIONS

Width	38¾	Laminate Weight	35
Depth	38¾	Solid Surface Weight	49
Height	16¼	Cubic Ft.	7.4

90 DEGREE ROUNDED CORNER GANGING CENTER TABLE



		GRADE A	GRADE B	GRADE C
N81T36CL	Laminate	\$ 2300		
N81T36CS	Solid Surface	3736	4089	4569

DIMENSIONS


Width	38¾	Laminate Weight	29
Depth	38¾	Solid Surface Weight	43
Height	16¼	Cubic Ft.	6.1

TO ORDER, SPECIFY:

1. Model Number
2. Laminate/Solid Surface
3. Paint
4. Glides


- See page 587 for Weli options
- Ganging hardware included with ganging tables

GANGING CENTER TABLE




MODEL NO.		GRADE / LIST PRICE					
		GRADE A	GRADE B	GRADE C			
24 X 12							
N81T12CL	24 x 12, Laminate	\$ 1423					
N81T12CS	24 x 12, Solid Surface	2428	2504	2607			
24 X 24							
N81T24CL	24 x 24, Laminate	\$ 1517					
N81T24CS	24 x 24, Solid Surface	2738	2889	3095			
DIMENSIONS - 24 X 12		DIMENSIONS - 24 X 24					
Width	12¼	Weight	9	Width	24½	Weight	18
Depth	25¾	Laminate Cubic Ft	0.8	Depth	25¾	Cubic Ft.	1.4
Height	16¼	Cubic Ft.	1.4	Height	16¼		

GANGING END TABLE



		GRADE / LIST PRICE					
		GRADE A	GRADE B	GRADE C			
24 X 12							
N81T12EL	24 x 12, Laminate	\$ 1465					
N81T12ES	24 x 12, Solid Surface	2472	2548	2651			
24 X 24							
N81T24EL	24 x 24, Laminate	\$ 1560					
N81T24ES	24 x 24, Solid Surface	2782	2933	3139			
DIMENSIONS - 24 X 12		DIMENSIONS - 24 X 24					
Width	12¼	Weight	12	Width	24½	Weight	21
Depth	25¾	Cubic Ft.	2.1	Depth	25¾	Cubic Ft.	3.6
Height	16¼			Height	16¼		


CHAIR GANGING BRACKET




N81BKT1	\$ 101		
DIMENSIONS			
		Weight	1
		Cubic Ft.	0.1

- Ganging brackets are used to gang guest chairs together

- When using ganging models (starter, add-on, end), a starter must always start the run and the end model ends the run. Add-on models are used between the starter and end to add additional seats. Any seat size or arm combination can be ganged together. Ganging hardware is included with the starter, add-on, end, and table models.




- 2) N81SAAY 21" Starter, Arms Poly (2)
- 4) N81AAEY 21" Add-On, Arm Poly (1)
- 2) N81EAEY 21" End, Arm Poly (1)
- 4) N81T12EL Table, 24x12, Laminate Ganging End



- 4) N81SAAY 21" Starter, Arms Poly (2)
- 4) N81EAEY 21" End, Arm Poly (1)
- 6) N81T12EL Table, 24x12, Laminate Ganging End



- 2) N81GCAY 32" Guest Chair, Arms Poly
- 2) N81T36CL Table, 90° Rounded Corner, Laminate Ganging Center
- 1) N81SAAY 21" Starter, Arms Poly (2)
- 1) N81AAEY 21" Add-On, Arm Poly (1)
- 1) N81EAEY 21" End, Arm Poly (1)



- 2) N81GCAY 32" Guest Chair, Arms Poly
- 2) N81T36CL Table, 90° Rounded Corner, Laminate Ganging Center
- 1) N81SAAY 21" Starter, Arms Poly (2)
- 1) N81AAEY 21" Add-On, Arm Poly (1)
- 1) N81EAEY 21" End, Arm Poly (1)

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N81AAES, N81AAEY, N81AAM, N81EAES, N81EA EY, N81EAM, N81GAAS, N81GAAY, N81GAM, N81HAAS, N81HAAY, N81RAAS, N81RAAY, N81SAAS, N81SAAY, N81SAES, N81SAEY, N81SAM, QN81GAAY, QN81GAM	Upholstery	1.50	1.90	3.20	4.70	27.3
N81AAESX, N81AAEYX, N81AAMX, N81EAESX, N81EA EYX, N81EAMX, N81GAASX, N81GAAYX, N81GAMX, N81HAASX, N81HAAYX, N81RAASX, N81RAAYX, N81SAASX, N81SAAYX, N81SAESX, N81SAEYX, N81SAMX, QN81GAAYX, QN81GAMX	Back Seat	1.00 1.00	1.40 1.20	2.30 1.80	2.90 2.70	17.9 17.9
N81PAAS, N81PAAY, N81PAM	Upholstery	1.70	2.40	3.70	4.70	32.2
N81PAASX, N81PAAYX, N81PAMX	Back Seat	1.20 1.00	1.70 1.20	2.80 1.80	3.30 2.70	22.2 17.9
N81T2ACS, N81T2ACY	Upholstery	2.90	3.50	6.60	8.70	54.4
N81T2ACSX, N81T2ACYX	Back Seat	1.80 1.40	2.40 1.50	4.50 2.40	4.90 4.70	32.8 24.5
N81T3ACS, N81T3ACY	Upholstery	4.20	5.30	9.70	12.70	82.1
N81T3ACSX, N81T3ACYX	Back Seat	2.70 2.00	3.40 2.30	6.60 3.30	6.90 6.70	50.1 37.8
N81ABES, N81ABEY, N81ABM, N81EBES, N81EBEY, N81EBM, N81GBAS, N81GBAY, N81GBM, N81HBAS, N81HBAY, N81RBAS, N81RBAY, N81SBAS, N81SBAY, N81SBES, N81SBEY, N81SBM, QN81GBAY, QN81GBM	Upholstery	2.50	2.80	3.50	4.70	47.7
N81ABESX, N81ABEYX, N81ABMX, N81EBESX, N81EBEYX, N81EBMX, N81GBASX, N81GBAYX, N81GBMX, N81HBASX, N81HBAYX, N81RBASX, N81RBAYX, N81SBASX, N81SBAYX, N81SBESX, N81SBEYX, N81SBMX, QN81GBAYX, QN81GBMX	Back Seat	1.60 1.00	1.70 1.30	2.40 1.70	2.90 2.70	30 17.9
N81PBAS, N81PBAY, N81PBM	Upholstery	2.60	3.30	4.10	4.70	50.1
N81PBASX, N81PBAYX, N81PBMX	Back Seat	1.80 1.00	2.30 1.30	3.10 1.70	3.40 2.70	32.2 17.9
N81ACES, N81ACEY, N81ACM, N81ECES, N81ECEY, N81ECM, N81GCAS, N81GCAY, N81GCM, N81RCAS, N81RCAY, N81SCAS, N81SCAY, N81SCEX, N81SCEY, N81SCM, QN81GCAY, QN81GCM	Upholstery	2.50	3.00	3.50	4.70	47.7
N81ACESX, N81ACEYX, N81ACMX, N81ECESX, N81ECEYX, N81ECMX, N81GCASX, N81GCAYX, N81GCMX, N81RCASX, N81RCAYX, N81SCASX, N81SCAYX, N81SCEX, N81SCEYX, N81SCMX, QN81GCAYX, QN81GCMX	Back Seat	1.60 1.00	1.80 1.30	2.40 1.70	3.30 2.70	30.0 17.9

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILOADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT	5"-11" REPEAT	12"-18" REPEAT	COL SQUARE FEET
			4" VERTICAL X 4" HORIZONTAL	11" VERTICAL X 11" HORIZONTAL	18" VERTICAL X 18" HORIZONTAL	
N81PCAS, N81PCAY, N81PCM	Upholstery	3.00	3.50	4.50	4.80	57.2
N81PCASX, N81PCAYX, N81PCM	Back	2.10	2.50	3.10	3.80	39.4
	Seat	1.00	1.30	1.70	2.70	17.9
N81LP1AAY	Complete	3.80	4.80	6.80	8.80	72.1
N81LP1AAYX	Back		2.00	2.50	3.80	25.6
	Seat		1.10	1.90	2.20	17.3
	Arms		2.70	3.80	4.40	42.2
N81L1AAY	Complete	3.40	4.60	6.00	7.40	66.0
N81L1AAYX	Back		1.70	2.10	3.00	23.3
	Seat		1.10	1.90	3.20	17.3
	Arms		2.70	3.80	4.40	42.2
N81L2AAY	Complete	4.70	5.50	9.10	11.90	90.9
N81L2AAYX	Back		2.50	3.90	6.00	38.3
	Seat		1.60	3.20	4.70	26.1
	Arms		2.70	3.80	4.40	42.2
N81L3AAY	Complete	6.10	7.60	10.50	11.00	118.5
N81L3AAYX	Back		3.40	4.80	5.40	18.2
	Seat		2.20	3.50	4.20	38.9
	Arms		2.70	3.80	4.40	42.2
N81D1A	Complete	1.20	1.30	1.50	2.70	20.1
N81B2M	Complete	1.80	2.00	4.10	4.80	32.8
N81B3M	Complete	2.70	2.90	4.10	6.30	51.6

